

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.weylo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/577,799	11/28/2006	Timothy Cameron Ralph	4894-0001	5231
85775 7590 09/04/2009 Locke Lord Bissell & Liddell LLP Atm: IP Docketing			EXAMINER	
			CALLAWAY, JADE R	
Three World Financial Center New York, NY 10281-2101			ART UNIT	PAPER NUMBER
			2872	
			NOTIFICATION DATE	DELIVERY MODE
			09/04/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ptopatentcommunication@lockelord.com

Application No. Applicant(s) 10/577,799 RALPH ET AL. Office Action Summary Examiner Art Unit JADE R. CALLAWAY 2872 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 15 May 2009. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-10 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-10 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 4/28/06, 5/15/09 is/are; a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

3) Information Disclosure Statement(s) (PTC/G5/08)
Paper No(s)/Mail Date ______

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/577,799 Page 2

Art Unit: 2872

DETAILED ACTION

Drawings

1. The drawings were received on 5/15/09. These drawings are acceptable.

Response to Amendment

The amendments to the claims and the abstract of the specification, in the submission dated 5/15/09, are acknowledged and accepted.

Claim Objections

- 3. Claim 1 is objected to because of the following informalities: claim 1 recites "for us in the frequency basis" instead of "for use in the frequency basis." For purposes of examination the limitation will be interpreted to mean "for use in the frequency basis."
 Appropriate correction is required.
- 4. Claim 9 is objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim cannot be multiply dependent on the same claim. See MPEP § 608.01(n). Accordingly, the claim has not been further treated on the merits. Claim 10 is dependent on claim 9 and inherits at least the same deficiencies as claim 9.
- 5. Claim 10 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Claim 10 is dependent on claim 9 which recites a device comprising two frequency beamsplitters one operating in forward and one operating in reverse. Claim 10 requires that only one frequency beamsplitter is used.

Application/Control Number: 10/577,799

Art Unit: 2872

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

7. Claims 1-10 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 is problematic because it is unclear whether the "pair of input photons" as recited in line 1 are separated in frequency space at the entrance of the interferometer or if the "pair of input photons" as recited in line 5 are only separated by the time delay element. For purposes of examination the limitations will be interpreted to mean that a pair of input photons are separated in frequency space at the entrance of the interferometer and pass through a time delay element such that the pair of input photons remains separated in frequency space by radio or microwave frequencies.

Claims 2-10 are dependent on claim 1 and inherit at least the same deficiencies as claim 1.

Claim 10 is problematic because it is unclear how claim 10 can meet the limitations of both claim 10 and claim 9 on which it depends. Claim 9, as depicted in the embodiment of figure 3, comprises two frequency beam splitters. In contrast claim 10, as depicted in figure 4, is an embodiment comprising a single frequency beam splitter.

Application/Control Number: 10/577,799

Art Unit: 2872

Allowable Subject Matter

Claims 1-10 would be allowable if rewritten to overcome the rejection(s) under 35
 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Conclusion

 Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JADE R. CALLAWAY whose telephone number is (571)272-8199. The examiner can normally be reached on Monday to Friday 6:00 am - 3:30 pm est.

Art Unit: 2872

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephone B. Allen can be reached on 571-272-2434. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JRC /JADE R. CALLAWAY/ Examiner, Art Unit 2872 /Stephone B. Allen/ Supervisory Patent Examiner Art Unit 2872